



(12)

**EUROPEAN PATENT APPLICATION**

(43) Date of publication:  
**19.06.2002 Bulletin 2002/25**

(51) Int Cl.7: **H04M 1/725**, **H04M 1/247**

(21) Application number: 01129885.8

(22) Date of filing: 14.12.2001

(84) Designated Contracting States:  
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU**  
**MC NL PT SE TR**  
 Designated Extension States:  
**AL LT LV MK RO SI**

(72) Inventor: Hyon,Seung-Taek  
c/o SAMSUNG EL.CO.LTD.IN.PROP.TEAM  
Suwon-shi, Kyunggi-do (KR)

(74) Representative: **Grünecker, Kinkeldey,  
Stockmair & Schwanhäusser Anwaltssozietät**  
**Maximilianstrasse 58**  
**80538 München (DE)**

(30) Priority: 16.12.2000 KR 2000077441

(71) Applicant: **SAMSUNG ELECTRONICS CO., LTD.**  
**Suwon-City, Kyungki-do (KR)**

(54) Emoticon input method for mobile terminal

(57) There is provided a method of easily inputting icons representing user emotions (emoticons). In the emoticon input method in a mobile terminal, a plurality of emoticons, formed by utilizing a plurality of typical characters and symbols and special characters and symbols in combination, are grouped and stored by

groups in the mobile terminal. The mobile terminal enters an emoticon input mode, displays the stored emoticon groups, displays the emoticons of an emoticon group selected by a user, stores an emoticon selected by the user, and transmits an SMS message including at least one emoticon selected by the user.

### A. KOREAN INPUT MODE

7 L C 2 0 H A 0 X A E 7 II 8 1 E 1 1 + # T II -

### B. DIGIT INPUT MODE

1 2 3 4 5 6 7 8 9 0

### C. SPECIAL CHARACTER/SYMBOL INPUT MODE

! @ # \$ % ^ & \* ( ) - = ~ ? # ★ ○ ☆ ● ◇ ♥ ◎ ♣ ♥ ● . ♪ ....

FIG. 1

## Description

[0001] The present invention relates generally to a mobile terminal, and in particular, to a method of easily inputting icons that represent emotions (emoticons) of a user.

[0002] In addition to telephone calls, a mobile terminal can provide a variety of additional functions such as an SMS (Short Message Service). The SMS enables short text messages to be exchanged between terminals (or computers) regardless of whether the terminal of the other party is busy or not. The relatively high cost of voice calls makes the SMS cost-effective enough to substitute for the voice calls. A user inputs a text message using the keys of the keypad on the terminal and transmits it via the SMS.

[0003] The SMS, however, limits a Korean text message to 40 characters, as well as limits the text message in other languages. Moreover only a few specific small keys are used to input the text message. Therefore, great amounts of time and effort are needed to input even a short message and often the short message becomes an abbreviation of what a user intends to express in the first place.

[0004] In an attempt to solve this problem, a mobile terminal may provide a variety of special characters along with the standard characters and digits. The characters and digits would vary with the programmed language, e.g., Korean, English, etc. FIG. 1 illustrates input modes supported by the conventional mobile terminal. As shown in FIG. 1, the mobile terminal displays available characters/digits in each input mode.

[0005] The illustrated mobile terminal of FIG. 1 also has a shortcoming in that a user must input a special character in a very complicated procedure (i.e., mode conversion, entry of an intended special character, input of key [CONFIRM], and etc.). Therefore, the conventional mobile terminal has limitations in the input of characters or symbols which can readily representing the emotions of a user in the form of an icon.

[0006] It is, therefore, the object of the present invention to provide an emoticon input method in a mobile terminal, which enables a user to easily input icons that represent his emotions.

[0007] According to an aspect of the present invention, there is provided an emoticon input method in a mobile terminal, which enables a user to easily enter a plurality of icons that represent his emotions by use of a series of special characters and symbols,

[0008] The foregoing object is achieved by providing a method of easily inputting icons representing user emotions (emoticons). In the emoticon input method in a mobile terminal, a plurality of emoticons, formed by utilizing a plurality of typical characters and symbols and special characters and symbols in combination, are grouped and stored by groups in the mobile terminal. The mobile terminal enters an emoticon input mode, displays the stored emoticon groups, displays the emoti-

cons of an emoticon group selected by a user, stores an emoticon selected by the user, and transmits an SMS message including at least one emoticon selected by the user.

[0009] The above object, features and advantages of the present invention will become more apparent from the following detailed description when taken in conjunction with the accompanying drawings in which:

FIG. 1 illustrates input modes supported in a conventional mobile terminal;

FIG. 2 is a schematic block diagram of a mobile terminal to which the present invention is applied;

FIG. 3 is a flowchart illustrating an emoticon input operation according to the present invention;

FIG. 4 illustrates operational displays of the mobile terminal according to the present invention; and

FIG. 5 illustrates groups of emoticons according to an embodiment of the present invention.

[0010] A preferred embodiment of the present invention will be described hereinbelow with reference to the accompanying drawings. In the following description, well-known functions or constructions are not described in detail since they would obscure the invention in unnecessary detail.

[0011] FIG. 2 is a schematic block diagram of a mobile terminal to which the present invention is applied.

[0012] Referring to FIG. 2, a mobile terminal 10 includes a transmitter 11 with a modulator 21 and transmission amplifier 31 and a receiver 12 with a reception amplifier 32 and a demodulator 22 in order to exchange signals with a mobile communication system (not shown) that has a base station, an MSC (Mobile Switching Center), and an SMS center. Also shown is antenna ANT.

[0013] A display 16 outputs display data and text messages generated in the mobile terminal. An LCD (Liquid Crystal Display) can be used as the display 16. A key input portion 17 has a plurality of digit/character and symbol keys, function keys for user interfacing, and keys for voice calls. A keypad can be used as the key input portion 17.

[0014] A controller 13 includes a DSP (Digital Signal Processor), a microprocessor, and other circuits that controls the transmitter 11 and the receiver 12 to allow the user to conduct a voice call with another user through a speaker 14 and a microphone 15. The controller 100 also performs an emoticon input operation according to an embodiment of the present invention.

[0015] A storage 18 is comprised of a ROM (Read Only Memory) and a RAM (Random Access Memory) for storing programs and data, and a voice memory. The storage 18 stores an operation program for inputting emoticons and a plurality of emoticons in the form of a bit map according to the embodiment of the present invention. The plurality of emoticons are stored by groups in the storage 18 to facilitate selection of emoticons.

**[0016]** An emoticon is defined as a hieroglyphic character and symbol that is formed using a plurality of typical characters and symbols or special characters and symbols in combination to represent a user's emotions. The term "emoticon" is a compound word of emotion and icon (an image representing a computer program function). Emoticons are part of a language unique to cyber space, by which emotions, symbols, personalities, jobs, and objects are represented by using characters, symbols, and digits available on the keyboard of a computer. They are widely used in cyber space since they are easily understood and easily facilitate a description of an expression of subtle emotions of a user.

**[0017]** Emoticons are usually divided into two categories: oriental ones used among Asians including Koreans and Japanese, and occidental ones mainly used in the U.S. and Europe. Vertical hieroglyphics prevail in the former case, whereas horizontal ones prevail in the latter case. Therefore, storage 18 stores oriental or occidental emoticons according to the cultural area of a user.

**[0018]** In general, 2000 emoticons are used respectively in Asia and the U. S. & Europe and up to 50 emoticons are standardized. To ease selection, emoticons are stored by groups in a mobile terminal. Emoticon groups can be formed as shown below, for example.

1. facial expression: happiness/smile/greeting/love/nonsense/sleep/depression/ shyness/tears/anger/fear/etc.
2. person: race/character/profession
3. animals: rabbit/cat/dog/ape/pig/goat/cow/rat
4. reptiles, amphibia: tadpole/frog/snake
5. fishes: goldfish/small octopus/shrimp/squid/sea horse/crab
6. insect: dragonfly/butterfly
7. plants: white rose/black rose/bouquet/tree
8. food: sushi/noodle/hamburger/Pepsi/Coke/candies
9. characters: Pikachu/Teletubbies

**[0019]** FIG. 3 is a flowchart illustrating an emoticon input procedure according to the present invention and FIG. 4 illustrates operational displays in a mobile terminal according to the present invention.

**[0020]** Referring to FIG. 3, a user enters an emoticon input mode by manipulating keys in a mobile terminal in step S10. The mobile terminal sequentially displays pre-stored emoticon group names as a user scrolls through a menu in step S20 and determines whether the user has entered a group select key in step S30. If a key other than a group select key is input in step S30, the mobile terminal performs an operation corresponding to the key input in step S35. Upon input of the group select key in step S30, the mobile terminal sequentially displays the emoticons of the selected group as a user scrolls through a menu in step S40. In step S50, the mobile terminal determines whether the user has entered an emoticon select key. If the user enters a key other than

an emoticon select key, the mobile terminal performs an operation corresponding to the key input in step S35. Upon input of an emoticon select key, the mobile terminal stores as part of a short message an emoticon selected by the input emoticon select key in step S60.

**[0021]** Referring to FIG. 4, a procedure of displaying an emoticon representing a smile will be described. When the user invokes a message management function by pressing a predetermined key, for example, a message hot key, a display 1 is provided. If the user selects "2. outgoing message" by manipulating a directional key or a digit key in the display 1, a display 2 is provided. Then, if the user selects "2. write mail" in the display 2, a display 3 is provided. If the user selects "1. write new text" in the display 3, a display 4 is provided.

**[0022]** When the user presses a predetermined input mode conversion key, for example, [MENU], a display 5 is provided. The display 5 displays the other input modes available from the mobile terminal, that is, an English capital input mode, an English small input mode, a special character and symbol input mode, and an emoticon input mode. If the user selects "emoticon" in the display 5, the mobile terminal enters the emoticon input mode (S10 of FIG. 3) and displays the names of pre-stored emoticon groups, that is, smile, love, happiness, greeting, and etc. in a display 6 (S20 in FIG. 3).

**[0023]** FIG. 5 illustrates emoticon groups according to an embodiment of the present invention. As shown in FIG. 5, the emoticons are grouped into smile, love, happiness, greeting, and fear, though only the emoticons for smile and love are shown.

**[0024]** If the user selects "smile" in the display 6 by manipulating a left/right directional key, emoticons that belong to the group "smile" are displayed in a display 7. When the user chooses one of the "smile" emoticons "^.^" in the display 7, the selected emoticon is stored as part of the short message as shown in a display 8. Then, the user can input a text including typical characters and symbols, special characters and symbols, or emoticons within the range of a transmittable SMS message, by changing input modes.

**[0025]** After an intended text is completed, the user instructs the mobile terminal to transmit the SMS message including the emoticon "^.^". That is, when the user finishes the SMS message writing by pressing a key [CONFIRM], enters the telephone number of the other party, and then presses the key [CONFIRM], the mobile terminal transmits the stored message. After transmission of the message, the mobile terminal can store the transmitted message according to user control and then returns to an initial phone display.

**[0026]** Emoticons can be subdivided into upper groups and lower groups. The upper groups can be expression, person, animals, reptiles/amphibia, fish, insect, plants, food, and characters. For the upper group "expression", the lower groups can be smile/love/happiness/fear.

**[0027]** A plurality of emoticons are pre-stored in a mo-

mobile terminal so that a user easily select an intended emoticon in the present invention. In another embodiment, the user can add hieroglyphics to basic emoticons stored by a manufacturer. The hieroglyphics can be stored in three ways: the user directly stores them, receives them from a base station and the stores them, or downloads them from the Internet. The user can change and edit the emoticons stored in the mobile terminal.

**[0028]** The present invention has the following advantages:

(1) The present invention increases interest in writing a message, outgrowing the simplicity of transmission of only a text message by facilitating input of hieroglyphics without the need of selecting special characters, special symbols, and digits one by one, and facilitating storage of the hieroglyphics.

(2) Emoticon messages are written in a shorter time than writing a text message as well as forming hieroglyphics by selecting special characters, symbols, and digits one by one, because emoticon groups are effectively classified and their indexes are used in writing the emoticon messages. The emoticon input method of the present invention gives a great satisfaction to users due to its convenience and originality.

#### Claims

1. An emoticon input method in a mobile terminal, comprising the steps of:
  - storing a plurality of emoticons in the mobile terminal;
  - entering an emoticon input mode;
  - displaying the stored emoticons in an emoticon input mode;
  - selecting an emoticon; and
  - storing as part of a short message the emoticon selected by a user.
2. The method of claim 1, wherein the emoticons are stored in the form of a bit map.
3. The method of claim 1 or 2, wherein the emoticons are formed by utilizing a plurality of typical characters and symbols and special characters and symbols in combination.
4. The method of one of claims 1 to 3, further comprising the step of transmitting an SMS (Short Message Service) message including the stored emoticon.
5. The method of one of claims 1 to 4, wherein the emoticons are stored by a manufacturer in the process of manufacturing or created and stored by the user.
6. The method of one of the claims 1 to 4, wherein the emoticons are received from a base station and stored in the mobile terminal or downloaded into the mobile terminal from the Internet and stored in the mobile terminal.
7. The method of one of the claims 1 to 6, further comprising the step of changing and editing the emoticons by the user.
8. The method of one of the claims 1 to 7, further comprising the step of:
  - grouping a plurality of emoticons formed by utilizing a plurality of typical characters and symbols and special characters and symbols in combination, wherein
  - the step of storing the plurality of emotions comprises storing the emoticons by groups in the mobile terminal; and
  - the step of displaying comprises displaying the stored emoticon groups;
  - selecting an emoticon group; and
  - displaying the emoticons of the emoticon group selected by a user.
9. A method of including an emotion in an SMS message in a mobile terminal, comprising the steps of:
  - forming emoticons by utilizing a plurality of typical characters and symbols;
  - storing a plurality of the emoticons;
  - selecting at least one emoticon from the plurality of emoticons; and
  - transmitting an SMS message including the at least one emoticon selected by a user.
10. The method of claim 9, wherein the emoticons are formed and stored by a manufacturer in the process of manufacturing or formed and stored by the user.
11. The method of claim 9, wherein the emoticons are received from a base station and stored in the mobile station or downloaded into the mobile terminal from the Internet and stored in the mobile terminal.
12. The method of one of the claims 9 to 11, further comprising the step of changing and editing the emoticons by the user.

7 L C E O A K E 7 II 8 T F T U T H - I

1	2	3	4	5	6	7	8	9	0
---	---	---	---	---	---	---	---	---	---

... √ • ⊙ ♡ ♣ ⊗ ♥ ◇ ⊙ ☆ ○ ★ ‡ ? ~ = - ( ) \* ∂ ∨ % \$ # @ !

FIG. 1




FIG. 2




FIG. 3




FIG. 4




[illegible]

♡	♡♡	♡	♡♡♡	^.-)σ ... -- -- ♡	(^*^)(KISS)
3 ~ ~ 3	(^3^)-*	(^.)KISS	(o)(o)	(^3^)-* Chui!	Y^O^)(yeah)

**E. FEAR**

FIG. 5





Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11) **EP 1 215 867 A3**

(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:  
**11.01.2006 Bulletin 2006/02**

(51) Int Cl.:  
**H04M 1/725 (2006.01) H04M 1/247 (2006.01)**

(43) Date of publication A2:  
**19.06.2002 Bulletin 2002/25**

(21) Application number: **01129885.8**

(22) Date of filing: **14.12.2001**

(84) Designated Contracting States:  
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU  
MC NL PT SE TR**  
Designated Extension States:  
**AL LT LV MK RO SI**

(72) Inventor: **Hyon, Seung-Taek**  
**c/o SAMSUNG EL.CO.LTD.IN.PROP.TEAM**  
**Suwon-shi,**  
**Kyunggi-do (KR)**

(30) Priority: **16.12.2000 KR 2000077441**

(74) Representative: **Grünecker, Kinkeldey,**  
**Stockmair & Schwanhäusser**  
**Anwaltssozietät**  
**Maximilianstrasse 58**  
**80538 München (DE)**

(71) Applicant: **SAMSUNG ELECTRONICS CO., LTD.**  
**Suwon-City, Kyungki-do (KR)**

(54) **Emoticon input method for mobile terminal**

(57) There is provided a method of easily inputting icons representing user emotions (emoticons). In the emoticon input method in a mobile terminal, a plurality of emoticons, formed by utilizing a plurality of typical characters and symbols and special characters and symbols in combination, are grouped and stored by groups in the

mobile terminal. The mobile terminal enters an emoticon input mode, displays the stored emoticon groups, displays the emoticons of an emoticon group selected by a user, stores an emoticon selected by the user, and transmits an SMS message including at least one emoticon selected by the user.

**A. KOREAN INPUT MODE**

7 L C 2 O H A O X A E 7 I 8 1 1 1 1 1 1 1 1 1 1

**B. DIGIT INPUT MODE**

1 2 3 4 5 6 7 8 9 0

**C. SPECIAL CHARACTER/SYMBOL INPUT MODE**

! @ # \$ % ^ & \* ( ) - = ~ ? # \* O ☆ O ◇ ♥ ◎ ♣ ♥ ○ . ♪ ....

**FIG. 1**



European Patent  
Office

## EUROPEAN SEARCH REPORT

Application Number  
EP 01 12 9885

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
X	WO 00/57617 A (NOKIA MOBILE PHONES; KRAFT, CHRISTIAN) 28 September 2000 (2000-09-28) * page 6, lines 5-12 * * page 8, line 18 - page 9, last line * * page 10, line 26 - page 11, line 14; figures 3,5,6 *	1-12	H04M1/725 H04M1/247
A	EP 0 930 760 A (NOKIA CORPORATION) 21 July 1999 (1999-07-21) * paragraphs [0038] - [0070] *	1,9	
A	US 5 784 001 A (DELUCA ET AL) 21 July 1998 (1998-07-21) * column 2, line 51 - column 4, line 24; figures 2-9 * * column 5, lines 15-47 *	1,6,9,11	
A	US 6 044 248 A (MOCHIZUKI ET AL) 28 March 2000 (2000-03-28) * column 1, line 50 - column 2, last line *	1,9	
			TECHNICAL FIELDS SEARCHED (IPC)
			G06F H04M
The present search report has been drawn up for all claims			
Place of search		Date of completion of the search	Examiner
The Hague		24 November 2005	de Biolley, L
CATEGORY OF CITED DOCUMENTS			
<p>X : particularly relevant if taken alone  Y : particularly relevant if combined with another document of the same category  A : technological background  O : non-written disclosure  P : intermediate document</p> <p>T : theory or principle underlying the invention  E : earlier patent document, but published on, or after the filing date  D : document cited in the application  L : document cited for other reasons</p> <p>&amp; : member of the same patent family, corresponding document</p>			

2  
EPO : CRM/15/03 03 02 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 01 12 9885

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

24-11-2005

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 0057617	A	28-09-2000	AU 3812500 A	09-10-2000
			EP 1166533 A1	02-01-2002
			GB 2348082 A	20-09-2000
-----				
EP 0930760	A	21-07-1999	CN 1229316 A	22-09-1999
			CN 1545298 A	10-11-2004
			GB 2333386 A	21-07-1999
			JP 2000003250 A	07-01-2000
			US 6487424 B1	26-11-2002
-----				
US 5784001	A	21-07-1998	WO 9719429 A1	29-05-1997
-----				
US 6044248	A	28-03-2000	CA 2193764 A1	26-06-1997
			CN 1166756 A	03-12-1997
-----				

